

FIG. 1




FIG. 2








FIG. 3A



**FIG. 3B**



WELCOME TO EUDORA!

EUDORA IS NOW LICENSED IN THREE WAYS; SPONSORED MODE, PAID MODE, AND LIGHT MODE. UNLESS YOU CHANGE MODES, EUDORA WILL RUN IN SPONSORED MODE, MEANING IT WILL DISPLAY ADS.

WE HAVE DONE OUR BEST TO PRESENT THE ADS IN A WAY THAT RESPECTS THE WORK YOU DO IN EMAIL. BY ALLOWING EUDORA TO DISPLAY ADS, YOU GET THE FULL POWER OF EUDORA FOR FREE AND WE CAN STILL PAY OUR BILLS.

IF YOU DECIDE THE ADS ARE NOT FOR YOU, YOU CAN CHANGE MODES. PAID MODE SHOWS NO ADS. CURRENT EUDORA PRO 4.X USERS WILL BE ABLE TO UPGRADE TO PAID MODE FOR FREE. OTHER USERS WILL BE ABLE TO PAY A LICENSE FEE TO GO TO PAID MODE. AT THIS STAGE IN TESTING, THE MACHINERY FOR PAID MODE IS NOT FULLY TESTED, AND PAID MODE IS UNAVAILABLE. LIGHT MODE ALSO SHOWS NO ADS, BUT HAS MANY FEWER FEATURES.

TO SWITCH FORMS OF EUDORA, PLEASE USE THE "PAYMENT & REGISTRATION" ITEM IN THE HELP MENU. TO LEARN MORE ABOUT THE THREE MODES, CLICK ON THE "TELL ME MORE" BUTTON BELOW.

TELL ME MORE

OK

FIG. 4B




FIG. 5A

☐ ☐

PAYMENT & REGISTRATION

WHICH EUDORA IS RIGHT FOR YOU?

SPONSERD MODE  
(FREE, WITH ADS)

PAID MODE  
(COST MONEY,  
NO ADS)

LIGHT MODE  
(FREE, FEWER  
FEATURES)

KEEPING CURRENT

REGISTER  
WITH US

CUSTOMIZE  
THE ADS  
YOU SEE

FIND THE  
LATEST UPDATE  
TO EUDORA

YOUR REGISTRATION INFORMATION

< NO REGISTRATION NAME >

< NO REGISTRATION CODE >

CHANGE  
YOUR  
REGISTRATION

TAKE ME TO THE TO THE EUDORA WEB SITE FOR MORE INFORMATION

FIG. 5B



— WOULD YOU LIKE TO REGISTER YOUR COPY OF EUDORA ? —

AS A REGISTERED USER OF EUDORA WE WON'T NAG YOU AS OFTEN AS WE DO. WE'LL ALSO  
ERECT A GIANT STATUE IN YOUR IMAGE ON THE FRONT LAWN OF OUR CORPORATE  
HEADQUARTERS (\*).

HOW COOL IS THAT? C'MON... REGISTER! IT'S FUN AND EASY!

(\* GIANT STATUE OFFER VOID ON THE PLANET EARTH)

MAYBE LATER

TAKE ME TO THE REGISTRATION PAGE

FIG. 5C

— THANKS FOR CHOOSING TO REGISTER EUDORA! —

YOU'LL NEXT BE WALKED THROUGH A FEW QUICK STEPS, AS DESCRIBED BELOW, BEFORE REGISTRATION IS COMPLETE:

- EUDORA WILL OPEN YOUR WEB BROWSER AND TAKE YOU TO OUR REGISTRATION PAGE
- WE'LL FILL IN SOME SIMPLE REGISTRATION INFORMATION ON THE WEB SITE
- WE'LL THEN EMAIL A EUDORA REGISTRATION CODE BACK TO YOU
- THE NEXT TIME YOU CHECK MAIL, EUDORA WILL AUTOMATICALLY RECOGNIZE THIS CODE AND DISPLAY A DIALOG BOX INVITING YOU TO CONFIRM YOUR REGISTRATION INFORMATION
- TA DA! YOU'LL THEN BECOME A REGISTERED USER OF EUDORA... THANKS!

CANCEL

CONTINUE

FIG. 5D

THANKS FOR CHOOSING TO PURCHASE EUDORA!

YOU'LL NEXT BE WALKED THROUGH A FEW QUICK STEPS, AS DESCRIBED BELOW, BEFORE YOUR PURCHASE IS COMPLETE:

- EUDORA WILL OPEN YOUR WEB BROWSER AND TAKE YOU TO OUR PAYMENT & REGISTRATION PAGE
- YOU'LL BE ASKED TO PROVIDE YOUR PAYMENT AND REGISTRATION INFORMATION ON THE WEB SITE
- WE'LL THEN EMAIL A EUDORA REGISTRATION CODE BACK TO YOU
- THE NEXT TIME YOU CHECK MAIL, EUDORA WILL AUTOMATICALLY RECOGNIZE THIS CODE AND DISPLAY A DIALOG BOX INVITING YOU TO CONFIRM YOUR REGISTRATION INFORMATION
- TA-DA! YOU'LL THEN BECOME A PAID MODE USER... CONGRATULATIONS!

CANCEL

CONTINUE

FIG. 5E

☐

☐

—THANK YOU FOR YOUR REGISTRATION!—

TO COMPLETE YOUR REGISTRATION, PLEASE ENTER THE NAME YOU REGISTERED UNDER AND YOUR REGISTRATION CODE BELOW.

THE EXACT NAME YOU REGISTERD UNDER:

FIRST NAME:	LAST NAME:
<input type="text" value="JOHN"/>	<input type="text" value="MANYJARS"/>

YOUR REGISTRATION CODE:

FIG. 5F




FIG. 5G




FIG. 6A



<input type="checkbox"/>	<input type="checkbox"/>
<p>THERE ARE UPDATES AVAILABLE TO EUDORA</p> <p>YOU HAVE EUDORA VERSION 4.1. THE FOLLOWING UPDATES HAVE BECOME AVAILABLE SINCE THIS VERSION WAS RELEASED. IF YOU'D LIKE MORE INFORMATION ON ANY OF THESE UPDATES, SIMPLY FOLLOW THE LINKS. IF YOU'D RATHER WE NOTIFY YOU OF UPDATES, <u>FOLLOW THIS</u>.</p> <p><u>EUDORA 5.3</u> THIS IS A MAJOR UPGRADE, WITH GREAT NEW FEATURES LIKE AUTOMATIC</p> <p><u>EUDORA 4.2</u> THIS UPDATE IS MOSTLY BUG FIXES. THIS UPDATE IS FREE TO YOU.</p> <p><u>PRINTED MANUAL</u> YOU CAN BUY A PRINTED MANUAL FOR EUDORA.</p>	

FIG. 7B



FIG. 8




FIG. 9











FIG. 10

LINK HISTORY

TYPE	SITE	DATE VISITED
	APPLE COMPUTER	WED, SEP. 1, 1999, 4:48 PM
	FTP.QUALCOMM.COM/EUDORA	TODAY, 11:26 AM
	QUALCOMM STORE	WED, SEP. 1, 1999, 4:48 PM
	MAC OS RUMORS	ASAP!
	MDUDZLAK@QUALCOMM.COM	TODAY, 11:23 AM
	WWW.QUALCOMM.ONES.PRODUC...	WED, SEP. 1, 1999, 4:48 PM
	WWW.EUDORA.COM	ATTEMPTED

VIEW

REMOVE

FIG. 12A

☐

☐

— YOU CAN'T GET THERE FROM HERE —

YOU'RE NOT CONNECTED TO THE INTERNET NOW. HELP ME COPE.  
CONNECT YOU AND VISIT THE SITE, RECORD A BOOKMARK FOR LATER  
REMINDE YOU TO VISIT IT NEXT TIME YOU ARE CONNECTED.

CONNECT TO THE INTERNET AND VISIT T

BOOKMARK THIS SITE TO VISIT L

BOOKMARK THE SITE, AND REMIND YOU  
YOU'RE CONNECTED TO THE INTER

☐ REMEBER YOUR CHOICE FOR NEXT TIME

VISIT NOW

BOOKMARK

REMINDE ME

FIG. 12B

ASSUMPTIONS	
AVERAGE CONNEC. SPEED, Xbps	28.8
AVERAGE AD SIZE, Xbps/cm	9.3
NUMBER OF USERS	8,000,000
NUMBER OF HOURS RUNNING EUDORA	2
NUMBER MAILCHECKS PER USER PER HOUR	2
PLAYLIST ENTRY SIZE, BYTES	500

FIG. 13A

IMPLICATIONS							
# OF NEW ADS PER USER PER DAY	# SECONDS DOWN-LOADING ADS	# SECONDS ADDED PER CHECK	8x USERS AD BAND-WIDTH, Xbps	AD Xbps/ 100,000 USERS	AVG. CONN- ECTIONS, 1000'	8 x USERS PLAYLIST BAND- WIDTH, Xbps	PLAYLIST Xbps/ 100,000 USERS
10	26	6	67	0.8	2.4	4	0.0
15	39	10	101	1.3	3.6	5	0.1
20	52	13	135	1.7	4.8	7	0.1
25	65	16	168	2.1	6.0	9	0.1
30	78	19	202	2.5	7.2	11	0.1
35	90	23	235	2.9	8.4	12	0.2

FIG. 13B




FIG. 14

```

////////////////////////////////////
// Main ad scheduler
ScheduleMain
{
// Has a new day dawned?
Do CheckForNewDay
// Are we within the current ad's showFor?
if ( ad.thisShowTime < ad.showFor )
{
// there is nothing to be done
return
}
// At this point, we know that we need a new ad
// Perform housekeeping tasks on the old one
do AdEndBookkeeping
// Pop out of a block if all ads on par
if ( block isn't all playlists )
{
find ad with minimum ad.numberShown
if ( ad.numberShown >= blockGoal )
set block to all playlists
}
// If we are over our quota of regular ads for the day,
// look for a runout
if ( adFaceTimeToday > faceTimeQuota )
{
do ShowARunout
}
else
{
Do ShowARegularAd
}
}
// end ad schedule main

```

FIG. 15A





```

////////////////////////////////////
// This function shows a runout ad, and if it
// can't find one, goes to a rerun
ShowARunout
{
for runout ads
{
// has the ad been flushed?
if ( ad.flushed )
try next ad
// are we done showing this runout today?
if ( ad.numberShownToday > ad.dayMax )
try next ad // this one's used up for the day
// are we done showing this runout for ever and ever?
if ( ad.shownFor > ad.shownForMax )
try next runout ad // this one's used up forever
// are we between the ad's start and end date?
if ( ad.startDate < the current date < ad.endDate )
try next runout ad
// the ad is not supposed to run today
// do we actually HAVE the ad?
if ( ad has not been downloaded )
{
ask for ad to be downloaded
try next ad
}
// ok, we believe we should show this runout
// we are now in runout state
Do ShowAnAd
return
}
// if we haven't found a runout ad, we will go to "rerun"
state
Do ShowARerun
}
// end ShowARunout

```

FIG. 15C

```

////////////////////////////////////
// Rerun state. Look for a regular ad to rerun
ShowARerun
{
for regular ads [ in current block ]
{
// has the ad been flushed?
if ( ad.flushed )
try next ad
// is this ad recent enough to rerun?
if ( ad.lastShownDate is older than returnInterval )
try next ad
// this one is too old to rerun
// if in block, show ads only if it's their "turn"
if ( ad.numberShownToday >= blockGoal )
try next ad // need to find a friend in this block
// are we between the ad's start and end dates?
if ( ad.startDate < the current date < ad.endDate )
try next ad
// the ad is not supposed to run today
// do we actually HAVE the ad?
if ( ad has not been downloaded )
{
ask for ad to be downloaded
try next ad
}
// ok, at this point we can show this ad, but because
// we're in rerun, we don't keep the books
Do ShowAnAd
return
}
// if we get here, we have no ads to show. Punt.
return
}
// end ShowARerun

```

FIG. 15D

```

////////////////////////////////////
// Show a regular ad
ShowARegularAd
{
for regular ads [ in current block ]
{
// has the ad been flushed?
if ( ad.flushed)
try next ad
// are we done showing this ad today?
if (ad.numberShownToday > ad.dayMax )
try next ad // this one's used up for the day
// if in block, show ads only if it's their "turn"
if ( ad.numberShownToday >= blockGoal )
try next add // need to find a friend in this block
// are we done showing this ad for ever and ever?
if ( ad.shownFor > ad.showForMax )
try next ad // this one's used up forever
// are we between the ad's start and end dates?
if ( ad.startDate < the current date < ad.endDate )
try next ad
// the ad is not supposed to run today
// do we actually HAVE the ad?
if ( ad has not been downloaded )
{
ask for ad to be downloaded
try next ad
}
// ok, we believe we should show this ad
// we are now in regular state
Do ShowAnAd
return
}
// if we get here, we have failed to find a regular
// ad. Go to runout
Do ShowARunout
}
// end ShowARegularAd

```

FIG. 15E

```

////////////////////////////////////
// Perform necessary housekeeping when we're taking
// down an ad
AdEndBookkeeping
{
// In rerun state, we don't do any bookkeeping
if ( in RerunState )
return
// Account for at most ad.showFor seconds, provided
// we've shown the ad for at least ad.showFor seconds
// Note that this means we don't charge for time beyond
// ad.showFor seconds, which is important
if ( ad.thisShowTime >= ad.showFor )
{
ad.numberShownToday += ad.showFor
ad.shownFor++
// we do NOT reset thisShowTime here, we do it in
// AdStartBookkeeping. It actually doesn't matter where
// we do it, provided we are careful NOT to do it for
// runout ads.
}
}
// end AdEndBookkeeping

```

FIG. 15F

```
////////////////////////////////////
// Show an ad, including bookkeeping and block handling
ShowAnAd
{
// If the ad is in a block, notice that
if ( it's in a "block" playlist )
{
if ( not currently in a block )
{
find ad in block with minimum numberShown
make that our ad
set blockGoal to minimum numberShown+1
}
set current block to this playlist
}
// now do bookkeeping
Do AdStartBookkeeping
// and actually show it
Do DisplayThatAd
}
```

FIG. 15G

```
////////////////////////////////////  
// Perform housekeeping when we put up an ad  
AdStartBookkeeping  
{  
// In return state, we don't do any bookkeeping  
if ( in RerunState )  
return  
// For regular ads  
if ( it's a regular ad )  
{  
ad.thisShowTime = 0  
ad.lastShownDate = now  
}  
}  
// end AdStartBookkeeping
```

FIG. 15H

PERSISTANT ADS	
PLAYLIST REQUEST	<p>FACE TIME</p> <p>USED TO DETERMINE HOW MUCH ADVERTISING TO SEND TO CLIENT</p> <p>FACE TIME LEFT</p> <p>NOT USED</p>
PLAYLIST RESPONSE CLIENTINFO	<p>REQINTERVAL</p> <p>RELATIVELY LARGE: ONE OR MORE DAYS USED. SINGLE PLAYLIST COMPLETELY SPECIFIES LIST OF ADS CLIENT SHOULD HAVE</p> <p>FLUSH</p>
PLAYLIST RESPONSE SCHEDULING PARAMETERS	<p>SHOWFORMAX</p> <p>NOT USED</p>

FIG. 16A

SHORT-LIVED ADS	
PLAYLIST REQUEST	<p>FACE TIME</p> <p>NOT USED</p> <p>FACE TIME LEFT</p> <p>USED TO DETERMINE HOW MANY ADS CLIENT SHOULD RECEIVE</p>
PLAYLIST RESPONSE CLIENTINFO	<p>REQINTERVAL</p> <p>NOT USED. INSTEAD, CLIENT REQUEST NEW PLAYLIST WHENEVER ADS "RUN LOW".</p> <p>FLUSH</p> <p>NOT USED</p>
PLAYLIST RESPONSE SCHEDULING PARAMETERS	<p>SHOWFORMAX</p> <p>USED TO DETERMINE HOW LONG AN AD RUNS</p>

FIG. 16B



☐

☐

EUDORA DOESN'T SEEM TO BE GETTING ADS. \_\_\_\_\_

FOR SOME REASON, EUDORA IS UNABLE TO DOWNLOAD NEW ADS. DOWNLOADING AND  
DISPLAYING ADS IS A REQUIREMENT FOR THE FREE FULL-FEATURED VERSION OF EUDORA.  
PLEASE VISIT THE EUDORA WEB SITE FOR INFORMATION ABOUT HOW TO RESUME GETTING  
ADS.

INVALID HTTP REQUEST (ERROR CODE: 503)

IF AD DOWNLOADING CONTINUES TO FAIL, EUDORA WILL EVENTUALLY  
REVERT TO THE LIGHT VERSION WHICH IS LESS POWERFUL.

TAKE ME TO THE EUDORA WEB SITE

FIG. 17A

**SOMETHING SEEMS TO BE COVERING THE AD.**

ITS PROBABLY INADVERTENT, BUT EUDORA HAS DETERMINED THAT YOU ARE COVERING UP ALL OR A SIGNIFICANT PORTION OF AN AD. THE SOFTWARE IS DESIGNED TO NOTIFY YOU WHEN THIS HAPPENS IN THE HOPES THAT YOU WILL STOP COVERING UP THE AD. IF YOU DON'T, THIS WINDOW WILL KEEP POPPING UP (WHICH YOU WILL PROBABLY FIND QUITE ANNOYING).

WE'VE ALWAYS GOT SOME GOOD STUFF UNDER DEVELOPMENT BACK AT THE HOME OFFICE, AND IT'S THE ADVERTISING IN EUDORA THAT ENABLES US TO CONTINUE TO DEVELOP THE SOFTWARE WHILE PROVIDING IT TO YOU FOR FREE. WE'VE WORKED HARD TO MAKE SURE THE ADVERTISING ISN'T ANNOYING AND WE GENUINELY HOPE THAT YOU ARE NOT DELIBERATELY TRYING TO COVER THE ADS BECAUSE THEY'RE BOTHERING YOU. OF COURSE, YOU CAN CHOOSE TO PAY US FOR EUDORA BY CHOOSING "PAYMENT & REGISTRATION" FROM THE "HELP" MENU AND CLICKING ON "PAID FULL VERSION." OR YOU CAN REMOVE WHATEVER IS OBSCURING THE AD.



FIG. 17B




FIG. 17C



PAGE	APPLICABLE QUERY PARTS																	TOPIC
	<div> <div> <div>ACTION</div> <div> <div>DISTRIBUTORII</div> <div>VERSION</div> <div>PRODUCT</div> <div>PLATFORMI</div> </div> </div> <div> <div>REALNAME</div> <div>MODE</div> </div> <div> <div>EMAIL</div> <div>REGLAST</div> <div>REGCODE</div> <div>OLDREG</div> <div>REGLEVEL</div> <div>PROFILE</div> <div>URL</div> <div>ADID</div> </div> <div>REGFIRST</div> </div> <div></div>																	
PAYMENT	PAY	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
FREEWARE REGISTRATION	REGISTER-FREE	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
ADWARE REGISTRATION	REGISTER-AD	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
BOX REGISTRATIONS	REGISTER-BOX	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
LOST CODE	LOSTCODE	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
UPDATE	UPDATE	X	X	X	X	X	X									X		
PRO UPDATE	PROUPDATE	X	X	X	X	X	X									X		
ARCHIVED	ARCHIVED	X	X	X	X	X	X											
PROFILE	PROFILE	X	X	X	X	X	X	X	X							X		
INTRODUCTION	INTRO																	
SUPPORT	N/A	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
QUICK TIME MISSING	SUPPORT	X	X	X	X													NO-QT
AD FAILURE	SUPPORT	X	X	X	X													AD-FAIL
TUTORIAL	SUPPORT	X	X	X	X													TUTOR
FAQ	SUPPORT	X	X	X	X													FAQ
LIGHT USERS	SUPPORT	X	X	X	X													LIGHT
SEARCH SUPPORT	SUPPORT	X	X	X	X													SEARCH
NEWSGROUPS	SUPPORT	X	X	X	X													USENET

FIG. 19




FIG. 20

% The list of available ads advantageously can be built from the following query:

```
ads = dbCon.prepareStatement("SELECT" * FROM ads WHERE StartDate<=today AND endDate>=today + 30 AND
AdType = "I" AND AdStatus = "A" AND ImpressionsServed<Impressions ORDERED BY ImpressionsServed
ASC);

run out ads = dbCon.prepareStatement("SELECT * FROM ads WHERE StartDate <= today AND endDate >= today +
30 AND AdType = "R" AND AdStatus = "A" AND ImpressionsServed<Impressions ORDERED BY ImpressionsServed
ASC);
```

% The time required to deliver the ads advantageously can be calculated in the following manner.

face time left for today [seconds] = faceTime[today] - faceTimeUsedToday

(Comment: Face time left for today is the number of seconds the servlet can use to deliver special ads today.)

predict face time [seconds] = SUM( faceTime[tomorrow], faceTime[tomorrow+1], ... faceTime[tomorrow+reqInterval])

(Comment: Predict face time is the number of seconds the servlet predicts the user is going to have.)

goal show time left [seconds] = predict face time - faceTimeLeft

(Comment: Goal show time left is the number of seconds that the software provider needs to fill with ads.)

FIG. 21A

```

% Targeting
while (face time left for today) {
    if ad is not in the history {
        select ad [according to target = today]
        face time left for today -= ad.showFor
    }
    next ad
}

while (Goal show time left ) {
    if ad is not in the history {
        select ad [according to target]
        goal show time left -= ad.showFor
    }
    next ad
}

```

Default values:

```

reqInterval = 1 day.
faceTime = 30 minutes
faceTimeQuota is ?
histLength = 31 days

```

FIG. 21B






FIG. 22




FIG. 23